



ENFORCER Products,
Inc.
P.O. Box 1060
Cartersville, GA 30120
1-888-805-HELP

Material Safety Data Sheet

and Safe Handling and Disposal Information

Section 1. Chemical Product and Company Identification

Product Name **Citrus Multi-Purpose Cleaner**

Product Code **SLCIT32/128**

Date of issue **12/09/03** **Supersedes 07/31/01**

Emergency telephone number **For MSDS Information:**
Compliance Services (404) 352-1680

For a Medical Emergency:
CHEM-TEL
(800) 255-3924 (Toll Free - Calls Recorded)

For a Transportation Emergency:
CHEMTREC
(800) 424-9300 (Toll Free - Calls Recorded)

Prepared by Compliance Services Group
Acuity Specialty Products Group
1420 Seaboard Industrial Blvd.
Atlanta, GA 30318

Section 2. Composition, Information on Ingredients

Name of Hazardous Ingredients	CAS #	% by Weight	Exposure Limits
D-LIMONENE - orange distillate; citrus terpene; cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-MONOETHANOLAMINE; 2-aminoethanol; MEA	5989-27-5	1-5	Not established
	141-43-5	1-5	OSHA PEL (United States). TWA: 3 ppm 8 hour(s). ACGIH TLV (United States). STEL: 6 ppm 15 minute(s).
ETHYLENE GLYCOL MONOBUTYL ETHER; 2-butoxyethanol; butyl cellosolve	111-76-2	1-5	ACGIH TLV (United States). Skin TWA: 20 ppm 8 hour(s). Form: Vapor OSHA PEL (United States). Skin TWA: 25 ppm 8 hour(s). Form: Vapor
DIPROPYLENE GLYCOL N-BUTYL ETHER; 1-(2-butoxy-1-methoxy)- 2-propanol; glycol ether dpnb	29911-28-2	1-5	Not established

Section 3. Hazards Identification

Acute Effects **Routes of Entry** Absorbed through skin. Eye contact. Inhalation.

Skin Slightly hazardous in case of skin contact (irritant, permeator). Direct contact may cause irritation and redness.

Eyes Slightly hazardous in case of eye contact (irritant). Inflammation of the eye is characterized by redness, watering, and itching.

Inhalation Slightly hazardous in case of inhalation. May cause respiratory tract irritation. Avoid inhalation of vapors and spray mist.

Ingestion Aspiration hazard if swallowed- can enter lungs and cause damage.

HMIS	
Health	1
Fire Hazard	2
Reactivity	0
Personal Protection	B

Carcinogenic Effects Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Chronic Effects Slightly hazardous in case of skin contact (permeator). The substance may be toxic to blood, kidneys, liver. Repeated or prolonged exposure to the substance can produce target organs damage.

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention if irritation occurs.
Skin Contact	Wash affected area with soap or mild detergent and water. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.
Ingestion	ASPIRATION HAZARD. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flash Point	Closed cup: 51°C (124°F). (Tagliabue.)	Flammable Limits	Not determined.
Flammability	Combustible.		
Fire Hazard	Combustible liquid and vapor. Avoid all possible sources of ignition (spark or flame).		
Fire-Fighting Procedures	Use DRY chemicals, CO ₂ , water spray or foam. Fire-fighters should wear proper protective equipment.		

**Section 6. Accidental Release Measures**

Spill Clean up	Absorb with an inert material and place in an appropriate waste disposal container.
-----------------------	---

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin or clothing. Avoid inhalation. Use only with adequate ventilation. Keep away from heat, sparks and flame. Keep container closed.
Storage	Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). Store between 40°F - 120°F (4.4°C - 49°C). Protect from freezing. Keep out of the reach of children.

Section 8. Exposure Controls, Personal Protection

Personal Protection		Protective Clothing (Pictograms)
Eyes	Safety glasses.	
Body	Gloves. Recommended: Nitrile gloves. Rubber gloves. Neoprene gloves.	
Respirator	A respirator is not needed under normal and intended conditions of product use.	

Section 9. Physical and Chemical Properties

Physical State	Liquid.	Color	Amber.
pH	11.0-12.0	Odor	Citrus
Boiling Point	Not determined.	Vapor Pressure	Not determined.
Specific Gravity	1.01 (Water = 1)	Vapor Density	Not determined.
Solubility	Easily soluble in cold water, hot water.	Evaporation Rate	1 compared to water
		VOC (Consumer)	171 (g/l).

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Incompatibility	Reactive with oxidizing agents.
Hazardous Polymerization	Will not occur.
Hazardous Decomposition Products	These products are carbon oxides (CO, CO ₂), nitrogen oxides (NO, NO ₂ ...).

Section 11. Toxicological Information

Toxicity to Animals	Ethylene Glycol Monobutyl Ether:
	ORAL (LD50): Acute: 1746 mg/kg [Rat]. 1519 mg/kg [Mouse]. 1414 mg/kg [Guinea pig].
	DERMAL (LD50): Acute: 435 mg/kg [Rabbit]. >2000 mg/kg [Guinea pig].
	VAPOR (LC50): Acute: 700 ppm 7 hour(s) [Mouse]. >633 ppm 1 hour(s) [Guinea pig]. >691 ppm 1 hour(s) [Guinea pig].
	Monoethanolamine:
	ORAL (LD50): Acute: 2100 mg/kg [Rat.].
	DERMAL (LD50): Acute: 1000 mg/kg [Rabbit.].
	Dipropylene glycol n-butyl ether
	LD50: Not available.
	LC50: Not available.
	d-Limonene:
	ORAL (LD50): Acute: 5600 mg/kg [Mouse]. 4400 mg/kg [Rat].
	DERMAL (LD50): Acute: >5000 mg/kg [Rabbit].

Section 12. Ecological Information**Ecotoxicity** Not available.**Biodegradable/OEC** Not available.**Section 13. Disposal Considerations****Waste Information** Waste must be disposed of in accordance with federal, state and local environmental control regulations.**Waste Stream** Code: - D001

Classification: - (Hazardous waste.)

Consult your local or regional authorities.**Section 14. Transport Information****Proper shipping name** Not regulated.**DOT Classification** Not a DOT controlled material (United States).**UN number** Not regulated.**TDG Classification** Not a TDG controlled material.**Section 15. Regulatory Information****U.S. Federal Regulations** SARA 313 toxic chemical notification and release reporting: Ethylene glycol monobutyl ether
Clean Water Act (CWA) 311: No products were found.
Clean air act (CAA) 112 regulated toxic substances: Ethylene glycol monobutyl ether**State Regulations** California prop. 65: No products were found.**WHMIS (Canada)** Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).
Class D-2B: Material causing other toxic effects (TOXIC).**Section 16. Other Information**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.